
TYPE DU 40 MACH. Nº 2720 ANNÉE 1948													
POSITION DES LEVIERS ET VITESSES DE BROCHE EN T./MIN.													
_	A	LA.	A	A	A	A	E	Marie Street	2	3	3	В	В
L	<u> </u>	ו ע	E	FC	G D	GE	G C	FD	FE	FC	GD	GE	
	3	45	67	94	12	5 18	8 2	8 35	7 5	35 7	50 1	000 1	500
POSITION DES LEVIERS — PAS DE FILETAGE													
		(I)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	
	Та	71/2	7	61/2	6	53/4	51/2	51/4	5	43/4	(10)	(ii)	
AR POUCE	ि	15	14	13	12	111/2	11	101/2	10.	91/2	41/2	4	Š
	c	30	28	26	24	23	22	21	-20	19	,9	8	NORMAUX
	वि	60	56	52	48	46	44	42	40	38	/18 136	16	9
	e	120	112	104	96	92	88	84	80	76	72	32 64	PAS
a	a	15/16	7/8	13/16	3/4	23/32	11/16	21/32	5/8	19/32	9/16	1/2	
FILETS	Б	17/8	13/4	15/8	11/2	17/16	13/8	15/16	11/4	13/16	11/8	1/2	SES
E	C	33/4	31/2	31/4	3	27/8	23/4	25/8	21/2	23/8	2,1/4	2	RAPIDES
	d	71/2	7	61/2	6	53/4	51/2	51/4	5	43/4	41/2	4	The Person of th
	e	15	14	13	12	111/2	11	101/2	10	91/2	9	8.	PAS
	а	7,5	7	6,5	6	5,75	5,5	5,25	5	4,75	4,5	4	_
	Ь	3,75	3,5	3,25	THE REAL PROPERTY AND ADDRESS.	2,875	2,75	2,525		2,375	2,25	2	NORMAUX
TRE	-	1,875	1,75	1,625	1,5				1,25	_,0,0	_,	1	DRN
MILLIMETRES	d			THE RESERVE OF THE PERSON NAMED IN	0,75							0,5	
3	е.						4	.:			1	0,25	PAS
	а	60	56 -	~52~	48.	. 46	44	-42	40	38	36	32	S
E	Б	30	28"	₹26 ₹	424 ₹	23	224	r=21 .	20	19	18	16	PIDES
PAS	C	, 15	14	13 1	-12	11,5	The second secon	3,10,5	THE RESERVE THE PERSON NAMED IN	. 9,5	9	6	RAP
-	d	.7,5	.7:	6,5	6	5,75	Name and Advanced to the Park	5,25	5	4,75	4,5	4_	PAS
	е	3,75			- 3	-	2,75	CANADA CONTRACTOR OF THE PARTY	2,5	Photographic and Property of the Parket of t	2,25	: .2:	PAS
WI	a	3,75	3,5							- Paris			
	b	1,87	1,75	3,25	1,5	2,87 1,43	2,75 1,38	2,6	2,5 1,25	2,38 1,19	1.12	1	
· ·	C	0,93	0,87	0,81	0,75	0,71	0,69	0,65	0,62	0,6	0,56	0,5	
modin	d	0,46	0,43	0,40	0,37	0;35	0,34	0,32	0,31	0,3	0,28	0,25	2
ar m	9	0,23	0,21	0,20	0,18	0,17	0,17	0,16	0,155	0,15	0,14	0,125	
	a b	30 15	28	26 13	12	23 . 11,5	22	21 10,5	20 <u>a</u>	19 9,5	18 9	16 8	H
Pas	C	7,5	7	6,5	6	\ 5,75	-	5,25	The second secon	4,75	4,5	4	RAPIDE
	ď	3,75	3,5	3,25	3	2,87	2,75	2,62	2,5	2,37	2,25	2	~
	е	1,87	1,75	1,62	1,5	1,43	1,38	1,31	1,25	1,19	1,12		

PASEN

D

0,8 0,0275 0,0285 0,055 0,057 1,72 3,44 0,43 0,86 0,43 3,68 0,115 0,23 0,92 0,46 0,46 1,84 Avances longitudinales et transversales en m/m. par tour 0,5 0,031 0,062 0,065 0.125 0,13 2 0,25 0,25 0,26 0,5 **AVANCES** 0,0325 0,034 0,0355 0,0376 0,039 0,52 2,08 0,26 0,52 4,16 1,04 RÉD ES 0,068 0.27 2,18 0,275 0,285 0,55 0,57 0,137 0,142 0,54 4,36 4,56 1,09 0,071 0,075 0,078 0,082 0,093 2,28 0,285 0,57 1,14 DE MOITIE 0,3 0,6 0,15 > 0,6° 4,8 2,4* 1.2 0,3 0,63 0,66 0,315 0,33 2,52 5,04 5,32 6 0,157 0,165 0,187 0,63 0,66 1,26 0,041 0,0465 2,66 1,33 0,75 1,5 10,75 0,375 .. Avance rapide





Pas au module		
a 3,75 3,5 b 1,87 1,75 c 0,93 0,87 d 0,46 0,43 e 0,23 0,21 e 0,23 0,21 e 0,23 0,21 c 7,5 7	PAS EN MILLIMÈTRES 1 PAS EN MILLIMÈTRES 2 7,5 3,75 3 30 14 3,75 3,5	FILETS PAR POUCE O C D O C C C C C C C C C C C C C C C C



PAR POUCE

യമറമ























